




RUGGED. RELIABLE. RESPONSIVE.™

TABLE OF CONTENTS

ABOUT GAMBER-JOHNSON	3
FAQS	4
CRADLES AND DOCKING STATIONS	6
DASH MOUNTS	18
PEDESTAL MOUNTS	23
ZIRKONA MOUNTS	24
WARRANTY	34



GAMBER JOHNSON companies



Gamber-Johnson is a global name known for providing industry-leading mounting solutions to support many, diverse industries, most notably the public sector, material handling, logistics, and enterprise. The GJ portfolio of product offerings has grown with strategic additions to our family of brands to support a broader offering.



From humble beginnings as a local wooden furniture manufacturer in Stevens Point, Wisconsin, Gamber-Johnson has developed into the **global go-to partner for equipment mounting products.**

This evolution from producing furniture in 1954 to becoming a 21st-century world leader in mounting equipment for electronics was a natural progression, fostered by a company culture of innovation and continuous improvement.

Today, Gamber-Johnson is still proudly “made in Wisconsin” and manufactures mounting components and systems for laptop and tablet computers, radios, light and siren controls, surveillance cameras, point-of-use kiosks, printers, keyboards and other devices — all meticulously designed to be rugged, reliable, and responsive.

Partnering with major technology manufacturers such as Dell, Getac, Panasonic, Samsung, and Zebra is key to this success. Gamber-Johnson is a trusted name in the industry; long known as the go-to partner for major rugged computer OEMs. With more than 25 patents and counting, the company continues to evolve, creating numerous jobs and meaningful opportunities for community stewardship.

As a pioneer in design innovation — receiving numerous awards and accolades as an industry leader — Gamber-Johnson has been the preferred choice of fleet managers for decades. Gamber-Johnson is a worldwide corporation with subsidiaries around the globe, including Precision Mounting Technologies (PMT) in Calgary. Currently, the company exports to more than 45 countries, with installations in thousands of fleets worldwide. Heroes in police, fire and emergency medical services rely on Gamber products every day in order to better protect and serve.


For these significant contributions to vital industries on a global scale, Gamber-Johnson has received numer-

ous accolades. These include the 2019 Wisconsin Manufacturer of the Year Award, in the Medium Category recognizing the company’s commitment to business excellence which makes a positive impact on the state of Wisconsin; the President’s “E” and “E” Star Awards, recognizing outstanding contributions and growth to U.S. exports; Wisconsin Governor’s Export Achievement Award, which honors the company’s work in furthering Wisconsin’s global economy; and the Cygnus Innovation Award, acknowledging that the company is at the cutting edge of emerging technologies. Gamber-Johnson has been nominated as Wisconsin Manufacturer of the Year eight times and also received the J.P. Leggett Innovator Award from Leggett & Platt, in addition to being named a “Workplace of Distinction” by Corporate Report Wisconsin.

Gamber-Johnson’s dedication to producing products that are rugged, reliable, and responsive is unparalleled. The Gamber-Johnson name has become synonymous with high quality, rugged products that can withstand even the most extreme situations. These products are guaranteed and reliable, hand tested for perfect performance every single time. With a strong focus on customer service, the Gamber-Johnson brand is responsive: offering custom-designed solutions, lightning-fast production and shipping, and working directly with technology partners to ensure the optimum fit, every time.

From the company’s local origins to its modern-day global impact, Gamber-Johnson has continued pursuing its mission — supporting our heroes and saving the world through a laser-like focus on innovation

FOLLOW US FOR UPDATES AND NEWS



Looking for product training and knowledge;

**CHECK OUT
GAMBER-GUIDES!**

HASHTAG:

#gamberjohnson #ruggedreliableRESPONSIVE #gamberpride

MOUNTING SOLUTIONS FOR EVERY LOGISTIC VEHICLE

Secure your tablets and equipment with our superior mounting solutions, for ultimate peace of mind. We offer a wide range of turnkey solutions that are configurable for your logistics vehicle's specific make and model. Our ergonomic solutions enhance driver efficiency, reduce installation time, speed up operations, and improve overall workplace safety. To narrow down the best solution for your fleet begin by asking yourself these two important questions:



01

WHAT DEVICE IS BEING MOUNTED?

Identifying your device ensures that you get the correct dock or cradle to support your specific need and desired connectivity.

02

WHAT MODEL VEHICLE IS THE DEVICE BEING MOUNTED TO?

Knowing the make and model of your vehicle will allow us to recommend the best location and corresponding product needed to mount your device.

VEHICLE SOLUTIONS IN-CAB OEM STYLE MOUNTS





CRADLES & DOCKING STATIONS

MOUNTING SOLUTIONS AS RUGGED AS YOUR DEVICE

Find the perfect solution in the form of a docking station, which replicates the computer's ports for full peripheral access, or a cradle that offers the utmost stability for crucial assets. Gamber-Johnson offers a large assortment of docking stations and cradles that support computers from the most trusted rugged manufacturers in the market including: Dell, Getac, Panasonic, Samsung, Zebra, and more.



1 ACCESS
CAMERA
ON PHONE




2 LOCATE
AND SCAN
QR CODE



3 CLICK LINK
PROVIDED
BY QR SCAN



4 VIEW OUR
PRODUCTS
ONLINE





GETAC ZX70 TABLET CHARGING CRADLE/CRADLE

ITEM NO.	DESCRIPTION	POWER SUPPLY	WEIGHT	HEIGHT	WIDTH	DEPTH
7160-1135-00	Cradle (No Electronics) only	No - Use Auto Power Supply (7300-0441)	0.90 lbs 0.4 kg	7.6" 19.3 cm	8.8" 22.5 cm	3.1" 7.9 cm
7160-1135-01	Charging Cradle (with POGO Pin Connector)		0.90 lbs 0.4 kg	7.6" 19.3 cm	8.8" 22.5 cm	3.1" 7.9 cm
7170-0686-01	Getac ZX70 Powered Charging Cradle with 12V Auto Adapter	Yes - Includes 12V Isolated Power Adapter	0.90 lbs / 0.41 kg	7.62" / 19.35 cm	8.87" / 22.52 cm	3.12" / 7.92 cm
FEATURES - Designed for the Getac ZX70 tablet computer and backwards compatible with the Getac Z710 computer - Getac Certified utilizing Getac Certified electronics - Cradle design accommodates rotating hand strap (sold separately) - Designed with rounded edges to enhance personal safety - Composite/aluminum design for reduced weight and durability - Access to all tablet control buttons and USB port while tablet is cradled - POGO charging connector for reliable connectivity in the most rugged environments - Optional lock (keyed alike) for theft deterrence - Easy to use one-handed operation: Insert bottom of computer into the cradle, push top of computer against latch button until latch engages. To remove, push up on latch-button with thumb to disengage and pull computer out of the cradle. - VESA 75 mm mounting pattern - MIL-STD 810G shock/vibration, RoHS, FCC, and SAE J1455 crash certifications - 3-Year Limited Warranty			PORT REPLICATOR (CHARGING CRADLE) - Getac certified electronics - POGO charging connector			

ACCESSORIES

ITEM NO.	DESCRIPTION	WEIGHT	HEIGHT	WIDTH	DEPTH
7300-0441	Getac 22W Auto Power Adapter	0.90 lbs 0.4 kg	7.6" 19.3 cm	8.8" 22.5 cm	3.1" 7.9 cm



SAMSUNG GALAXY TAB ACTIVE 2/3/5 DUAL USB DOCKING STATION

DESCRIPTION	DESCRIPTION	ANTENNA PASS-THROUGH	WEIGHT	HEIGHT	WIDTH	DEPTH
7160-1368-00	Samsung Galaxy Tab Active 2/3/5 Dual USB Docking Station with Bare Wire	No	1.1lbs 0.5kg	6.7" 17.1cm	9.3" 23.6cm	1.5" 3.8 cm
7160-1368-20	Samsung Galaxy Tab Active 2/3/5 Dual USB Docking Station with Cigarette Lighter Connector	No	1.1lbs 0.5kg	6.7" 17.1cm	9.3" 23.6cm	1.5"/ 3.8 cm
FEATURES <ul style="list-style-type: none"> - Designed for the Samsung Galaxy Tab Active 2/3/5 rugged tablet with rugged case - Dual powered USB ports; 1.5A for each port for connecting peripheral devices - Access to all control buttons, camera, ports and stylus while the tablet is safely docked - POGO pin connector and internal power supply provides power to charge the Samsung tablet while docked - Input voltage range is 10V-40V for added power - Push-button lock with key for theft deterrence - Composite design for reduced overall weight - Approximately 4" (101.6 cm) power cable with bare wire end - Can be mounted on a flat vertical surface - Simple, one-handed cradle operation: <ul style="list-style-type: none"> - Insert bottom of Samsung tablet into the docking station and push top of the tablet in until the lock engages - Push latch button up with your thumb then remove the tablet from the docking station - VESA 75 mm and AMPS mounting pattern making it easily compatible with Zirkona products and more - MIL-STD 810G shock/vibration, RoHS, FCC, CE, and SAE J1455 crash certifications - 3-Year Limited Warranty 						PORT REPLICATION (DOCK) <ul style="list-style-type: none"> - (2) USB 1.1 1.5A each



SAMSUNG GALAXY TAB ACTIVE 2/3/5 CRADLE

ITEM NO.	DESCRIPTION	WEIGHT	HEIGHT	WIDTH	DEPTH
7160-1313-02	Samsung Galaxy Tab Active 2/3/5 Cradle	0.44 lbs 0.2 kg	5.68" 14.43 cm	9.27" 23.55 cm	1.9" 4.83 cm
FEATURES <ul style="list-style-type: none"> - Designed for the Samsung Galaxy Tab Active 2/3/5 rugged tablet with rugged case - Access to all control buttons and camera while docked - Cradle design is compatible with Samsung's built-in Near Field Communication (NFC); perform tasks with another NFD device without taking the Samsung tablet out of the cradle - Minimal design for weight reduction - Simple, one-handed operation: <ul style="list-style-type: none"> - Insert bottom of the smartphone into the cradle, push top of the smartphone against top clip until clip engages - To remove, push up on top clip with thumb and pull smartphone out of cradle - AMPS mounting pattern - MIL-STD 810G shock/vibration, RoHS, FCC, CE, and SAE J1455 crash certifications - 3-Year Limited Warranty 					



SAMSUNG GALAXY TAB ACTIVE 2/3/5 LITE CRADLE

ITEM NO.	DESCRIPTION	WEIGHT	HEIGHT	WIDTH	DEPTH
7160-1002-00	Samsung Galaxy Tab Active 2/3/5 Lite Cradle (No Electronics)	0.5 lbs 0.2 kg	5.7" 14.5 cm	9.3" 23.5 cm	1.9" 4.8 cm
7160-1148-00	Samsung Lite Charging Cradle with Cigarette Lighter Adapter	0.50 lbs 0.22 kg	5.68" 14.5 cm	9.27" 23.5 cm	1.90" 4.8 cm
7160-1148-10	Samsung Lite Charging Cradle with Bare Wire Lead	0.50 lbs 0.22 kg	5.68" 14.5 cm	9.27" 23.5 cm	1.90" 4.8 cm

FEATURES

- Designed for the Samsung Galaxy Tab Active 2/3/5 rugged tablet with rugged case
- Has cutouts for providing direct access to your camera, stylus, and USB port while your tablet is safely docked
- Cradle can be mounted on a flat vertical surface
- Optional lock button for theft deterrence and extra tablet security
- Simple, one-handed cradle operation
- Composite design for reduced overall weight
- Includes USB car adapter
- Cradle can be mounted using the VESA 75 mm, M20 threads, and AMPS hole pattern to attach to a Gamber-Johnson system
- MIL-STD 810G shock/vibration, RoHS, FCC, CE, and SAE J1455 crash certifications
- 1 Year Limited Warranty



SAMSUNG GALAXY TAB ACTIVE 2/3/5 DUAL USB DOCKING STATION WITH Y-STRAP

ITEM NO.	DESCRIPTION	WEIGHT	HEIGHT	WIDTH	DEPTH
7170-0765-41	Samsung Galaxy Tab Active 2/3/5 Dual USB Docking Station with Y-Strap Kit Includes: Samsung Galaxy Tab Active 2/3/5 Dual USB Docking Station (7160-1368-00) & Y-Strap (7400-0021)	1.1 lbs 0.5 kg	6.7" 17.02 cm	9.3" 23.62 cm	1.5" 3.81 cm

FEATURES

Docking Station

- Dual powered USB ports; 1.5A for each port for connecting peripheral devices
- Access to all control buttons, camera, ports and stylus while the tablet is safely docked
- POGO pin connector and internal power supply provides power to charge the Samsung tablet while docked
- Approximately 40" (101.6 cm) power cable with bare wire end
- Push-button lock with key for theft deterrence
- Composite design for reduced overall weight
- Simple, one-handed cradle operation:
 - Insert bottom of Samsung tablet into the docking station and push top of the tablet in until the lock engages
 - Push latch button up with your thumb then remove the tablet from the docking station
- VESA 75 mm and AMPS mounting patterns
- MIL-STD 810G shock/vibration, RoHS, FCC, CE, and SAE J1455 crash certifications
- 3-Year Limited Warranty

Y-Strap

- Improved productivity, ergonomics, and convenience
- Comfortable and secure portability
- Can be used in both portrait and landscape modes
- Simply detach the plastic clip on the Y-Strap and drape over the back of the Gamber-Johnson dock when docking
- 1 Year Limited Warranty

PORT REPLICATOR

- (2) USB 1.1 1.5A each



7160-1313-00



7160-1313-01

SAMSUNG GALAXY TAB ACTIVE 2/3/5 CHARGING CRADLE KITS

ITEM NO.	DESCRIPTION	POWER SUPPLY	WEIGHT	HEIGHT	WIDTH	DEPTH
7160-1313-00	Samsung Galaxy Tab Active 2/3/5 Charging Cradle with Power Adapter and Bare Wire Lead	Yes	0.44 lbs 0.2 kg	5.68" 14.43 cm	9.27" 23.55 cm	1.9" 4.83 cm
7160-1313-01	Samsung Galaxy Tab Active 2/3/5 Charging Cradle with Power Adapter and Cigarette Lighter Connector	Yes	0.44 lbs 0.2 kg	5.68" 14.43 cm	9.27" 23.55 cm	1.9" 4.83 cm

FEATURES

- Designed for the Samsung Galaxy Tab Active 2/3/5 rugged tablet with rugged case
- Access to all control buttons and camera while docked
- Cradle design is compatible with Samsung's built-in Near Field Communication (NFC); perform tasks with another NFC device without taking the Samsung tablet out of the cradle
- USB-C charging port with integrated cable restraint (to connect to power supply), includes USB-C charging cable with bare wire end
- 12-24V power input range to support a wide range of mobile applications
- 5V, 3A Max of output
- Simple, one-handed operation:
 - Insert bottom of the smartphone into the cradle, push top of the smartphone against top clip until clip engages
 - To remove, push up on top clip with thumb and pull smartphone out of cradle
- AMPs mounting pattern
- MIL-STD 810G shock/vibration, RoHS, FCC, CE, and SAE J1455 crash certifications
- 3-Year Limited Warranty

PORT REPLICATOR

- USB-C Power Input



SAMSUNG GALAXY TAB ACTIVE 2/3/5 DUAL USB DOCKING STATION WITH MOBILITY BUNDLE

ITEM NO.	DESCRIPTION	WEIGHT	HEIGHT	WIDTH	DEPTH
7170-0765-40	Samsung Galaxy Tab Active 2/3/5 Dual USB Docking Station with Mobility Bundle Kit Includes: Samsung Galaxy Tab Active 2/3/5 Dual USB Docking Station (7160-1368-00) and Mobility Bundle (7400-0020)	1.1 lbs 0.5 kg	6.7" 17.02 cm	9.3" 23.62 cm	1.5" 3.81 cm

FEATURES

Docking Station

- Dual powered USB ports; 1.5A for each port for connecting peripheral devices
- Access to all control buttons, camera, ports and stylus while the tablet is safely docked
- POGO pin connector and internal power supply provides power to charge the Samsung tablet while docked
- Approximately 40" (101.6 cm) power cable with bare wire end
- Push-button lock with key for theft deterrence
- Composite design for reduced overall weight
- Simple, one-handed cradle operation:
 - Insert bottom of Samsung tablet into the docking station and push top of the tablet in until the lock engages
 - Push latch button up with your thumb then remove the tablet from the docking station
- VESA 75 mm and AMPS mounting patterns
- MIL-STD 810G shock/vibration, RoHS, FCC, CE, and SAE J1455 crash certifications
- 3-Year Limited Warranty

Mobility Bundle

- Quick release handle and shoulder strap for hands-free functionality
- Shoulder strap that loops over the back of the Samsung Tab Active2/Tab Active3 dock while installed
- 1 Year Limited Warranty

PORT REPLICATOR

- (2) USB 1.1 1.5A each



SAMSUNG GALAXY XCOVER PRO CHARGING CRADLE/CRADLE

ITEM NO.	DESCRIPTION	WEIGHT	HEIGHT	WIDTH	DEPTH
7160-1488-00	Samsung Galaxy XCover Pro Charging Cradle with Bare Wire Lead	0.18 lbs 0.08 kg	7.1" 18.03 cm	3.4" 8.64 cm	1.7" 4.32 cm
7160-1488-10	Samsung Galaxy XCover Pro Charging Cradle with Cigarette Lighter Connector	0.18 lbs 0.08 kg	7.1" 18.03 cm	3.4" 8.64 cm	1.7" 4.32 cm
7160-1488-90	Samsung Galaxy XCover Pro Cradle (No Electronics)	0.18 lbs 0.08 kg	7.1" 18.03 cm	3.4" 8.64 cm	1.7" 4.32 cm

FEATURES

- Designed for the Samsung Galaxy XCover Pro 6" rugged Smartphone without accessories
- 5-36V power input range to support a wide range of mobile applications
- Access to all control buttons and camera while docked
- Charging cradle design is compatible with Samsung's built-in Near Field Communication (NFC); scan NFC cards while the Samsung phone is in the charging cradle
- POGO pin connector and internal power supply provides power to charge the Samsung phone while docked
- USB-C charging port with integrated cable restraint, includes USB-C charging cable with bare wire end
- Minimal design for weight reduction
- Simple, one-handed operation:
 - Insert bottom of the smartphone into the cradle, push top of the smartphone against top clip until clip engages
 - To remove, push up on top clip with thumb and pull smartphone out of cradle
- USB-C charging port with integrated cable restraint, includes USB-C charging cable with bare wire end
- AMPS mounting pattern
- MIL-STD 810G shock/vibration, RoHS, FCC, CE, and SAE J1455 crash certifications
- 1 Year Limited Warranty



SAMSUNG GALAXY XCOVER 5 CHARGING CRADLE/CRADLE


ITEM NO.	DESCRIPTION	WEIGHT	HEIGHT	WIDTH	DEPTH
7160-1625-90	Samsung Galaxy XCover 5 Cradle (no electronics)	0.22 lbs 0.1 kg	6.5" 16.51 cm	3.1" 7.87 cm	1.5" 3.81 cm
7160-1625-10	Samsung Galaxy XCover 5 Charging Cradle with Bare Wire	0.22 lbs 0.1 kg	6.5" 16.51 cm	3.1" 7.87 cm	1.5" 3.81 cm
7160-1625-20	Samsung Galaxy XCover 5 Charging Cradle with Cigarette Lighter Connector	0.22 lbs 0.1 kg	6.5" 16.51 cm	3.1" 7.87 cm	1.5" 3.81 cm

FEATURES

- Designed for the Samsung Galaxy Xcover 5 smartphone without accessories
- 10-40V power input range to support a wide range of mobile applications
- Access to all control buttons and camera while docked
- Charging Cradle design is compatible with Samsung's built-in barcode scanning using the onboard camera and long and short-range RFID reading capabilities which are optimized for fast, accurate data transmission
- Simple, one-handed operation:
 - Insert the bottom of the smartphone into the cradle, rotate the phone back, pressing until the latch snaps over the top of the phone
 - To remove, press up on the release button until the latch clears the top of the phone, rotate the phone forward and pull it away from the cradle
- POGO pin connector and internal power supply provides power to charge the Samsung phone while docked
- Fast Charging through POGO pin connector
- AMPS mounting pattern – compatible with Zirkona
- Integrated bare wire charging cable
- MIL-STD 810G shock/vibration and SAE J1455 crash certifications
- 1 Year Limited Warranty



ZEBRA ET4X SERIES DOCKING STATION/CRADLE

ITEM NO.	DESCRIPTION	POWER SUPPLY	WEIGHT	HEIGHT	WIDTH	DEPTH
7160-1801-00	Zebra ET4X 8" SLIM Dual USB Docking Station (Bare Wire)	-	1.3 lbs / 0.59 kg	9 in / 22.86 cm	7.75 in / 19.69 cm	2.8 in / 7.11 cm
7160-1801-04	Zebra ET4X 8" SLIM Dual USB Docking Station (2.5mm DC Power Jack) Power Supply NOT Included		1.3 lbs / 0.59 kg	9 in / 22.86 cm	7.75 in / 19.69 cm	2.8 in / 7.11 cm
7160-1807-00	Zebra ET4X 10" SLIM Dual USB Docking Station (Bare Wire)		1.3 lbs / 0.59 kg	10.1 in / 25.65 cm	7.75 in / 19.69 cm	2.8 in / 7.11 cm
7160-1807-04	Zebra ET4X 10" SLIM Dual USB Docking Station (2.5mm DC Power Jack) Power Supply NOT Included		1.3 lbs / 0.59 kg	10.1 in / 25.65 cm	7.75 in / 19.69 cm	2.8 in / 7.11 cm
7160-1801-90	Zebra ET4X 8" SLIM Cradle (no electronics)		1.3 lbs / 0.59 kg	9 in / 22.86 cm	7.75 in / 19.69 cm	2.8 in / 7.11 cm
7160-1807-90	Zebra ET4X 10" SLIM Cradle (no electronics)		1.3 lbs / 0.59 kg	10.1 in / 25.65 cm	7.75 in / 19.69 cm	2.8 in / 7.11 cm
FEATURES			PORT REPLICATION (DOCK)			
<ul style="list-style-type: none">-Dual USB ports; 1.5A for each port for connecting peripheral devices-Zebra's rugged frame is required in order to work with docking station-10-40V power input range to support a wide range of mobile applications-All features on tablet are functional while the tablet is safely docked-Simple, one-handed docking and release operation:<ul style="list-style-type: none">-Insert bottom of Zebra tablet into the docking station and push top of the tablet in until the lock engages.-Push latch button up with your thumb then remove the tablet from the docking station.-POGO pin connector and internal power supply provides power to charge the Zebra tablet while docked-Barrel Key lock for theft deterrence-VESA 75mm mounting pattern; compatible with Zirkona mounting products-Can be mounted on a flat vertical surface-Composite design to reduce overall weight			<ul style="list-style-type: none">-(2) USB 2.0 - each with 1.5A power 			



ZEBRA TC22/TC2 CRADLE

ITEM NO.	DESCRIPTION	POWER SUPPLY	WEIGHT	HEIGHT	WIDTH	DEPTH
7160-1856	Zebra TC22/TC27 Cradle	-	0.25 lbs / 0.11 kg	7.96" / 20.21 cm	3.58" / 9.09 cm	1.63" / 4.14 cm
FEATURES <ul style="list-style-type: none"> - Compatible with Zebra TC22/TC27 Handheld (Requires Zebra rugged boot) - Adjustable cable restraint holds USB-C cord securely in place. - Lightweight, small form factor designed to be resilient and reliable in harsh material handling and enterprise environments. - Attaches to Gamber-Johnson mounting solutions using the AMPs hole pattern. - Easy one-handed docking and releasing operation. Our living hinge design allows unit to easily slide into place and is secured in place. - Reduce costly damages by safely securing your device. - Cradle accommodates the Zebra TC22/TC27 hand strap. 						



ZEBRA TC5X CRADLE

ITEM NO.	DESCRIPTION	POWER SUPPLY	WEIGHT	HEIGHT	WIDTH	DEPTH
7160-1497	Zebra TC5x Non-Powered Cradle (No Electronics)		0.25 lbs 0.11 kg	7.96" 20.21 cm	3.58" 9.09 cm	1.63" 4.14 cm
7160-1497-01	Zebra TC5x Powered Cradle	Use Wire Assembly - Cigarette Plug to 1.7mm Plug with 8-35V to 5V Converter (7100-0469)	0.25 lbs 0.11 kg	7.96" 20.21 cm	3.58" 9.09 cm	1.63" 4.14 cm

FEATURES

- Compatible with the Zebra TC5x Series Handheld Touch Computer (Requires Zebra rugged boot SG-TC5X-EX01-01)
- Cradle accommodates the Zebra TC5x hand strap
- Lightweight, small form factor designed to be resilient and reliable in harsh material handling and enterprise environments
- Eliminate daily battery exchanges and device downtime by maintaining charge within your mobile work environment (powered cradle/rugged hub adapter cradle)
- Reduce costly damages by safely securing your device
- Easy one-handed docking and release operation:
 - To dock: Insert bottom of computer into the cradle, push top of computer into cradle until cradle latch clicks into place in the computer
 - To release: Lift latch to disengage and pull computer out of the cradle
- Attach to a Gamber-Johnson mounting system using the AMPS hole pattern
- MIL-STD 810G shock/vibration, RoHS, FCC
- 1 Year Limited Warranty



ZEBRA TC7X CRADLE

ITEM NO.	DESCRIPTION	PLACEMENT/COMPATIBILITY	WEIGHT	HEIGHT	WIDTH	DEPTH
7160-1509	Zebra TC7x Cradle (No Electronics)		0.25 lbs 0.11 kg	7.12" 18.08 cm	3.56" 9.04 cm	2.0" 5.08 cm
7160-1509-01	Zebra TC7x Powered Cradle	Use Wire Assembly - Cigarette Plug to 1.7mm Plug with 8-35V to 5V Converter (7100-0469)	.25 lbs 00.11 kg	7.12" 18.08 cm	3.56" 9.04 cm	2.0" 5.08 cm

FEATURES

- Compatible with the Zebra TC7x Series Handheld Touch Computer
- Cradle accommodates the Zebra TC7x hand strap
- Upper cut out enables scanner to be used while the computer is docked
- Lightweight, small form factor designed to be resilient and reliable in harsh material handling and enterprise environments
- Eliminate daily battery exchanges and device downtime by maintaining charge within your mobile work environment
- Reduce costly damages by safely securing your device
- Included lock for theft deterrence and extra device security
- Easy one-handed docking and release operation:
 - To dock: Insert bottom of computer into the cradle, push top of computer into cradle until cradle latch clicks into place in the computer
 - To release: Lift latch to disengage and pull computer out of the cradle
- Attach to a Gamber-Johnson mounting system using the AMPS hole pattern
- MIL-STD 810G shock/vibration, RoHS, FCC
- 1 Year Limited Warranty

ACCESSORIES

ITEM NO.	DESCRIPTION	WEIGHT	HEIGHT	WIDTH	DEPTH
7100-0469	Wire Assembly - Cigarette Plug to 1.7mm Plug with 8-35V to 5V Converter	0.25 lbs 0.11 kg	0.56 in / 1.42 cm	2.5 in / 6.35 cm	1 in / 2.54 cm



NOTEPAD™ TOUCH UNIVERSAL TABLET CRADLE

ITEM NO.	DESCRIPTION	ADJUSTABLE HEIGHT	ADJUSTABLE WIDTH	ADJUSTABLE DEPTH	WEIGHT	HEIGHT	WIDTH	DEPTH
7160-1299-00	Universal Tablet Cradle	4.5"-7.3" 11.4 -18.5 cm	7.8"-10.9" 19.8-27.6 cm	0.28"-1.12" 0.71-2.8 cm	2.85 lbs 1.29 kg	6.12" 15.54 cm	8.99" 22.8 cm	3.15" 8.00 cm
7160-1299-10	Universal Tablet Cradle	7.0"-9.7" 17.7-24.6 cm	10.0"-13.0" 25.4 -33.0 cm	0.28"-1.12" 0.71-2.8 cm	3.5 lbs 1.58 kg	8.56" 21.74 cm	10.82" 27.48 cm	3.15" 8.00 cm

FEATURES

- Height, width, and depth adjustable to accommodate almost any size tablet computer
- Optional keyed lock for theft deterrence
- Composite/aluminum design for reduced weight and extended durability
- Designed with rounded edges to enhance personal safety
- Easy one-handed operation: Insert bottom of tablet into the cradle, push the top of the tablet against the latch button until latch engages.
To remove tablet, push up on latch button with thumb and pull tablet from the cradle
- VESA 75 mm and AMPS mounting patterns
- 30 mph crash tested per SAE J1455 standard
- Lifetime Limited Warranty



CELL PHONE WIRELESS CHARGING CRADLES

ITEM NO.	DESCRIPTION	WEIGHT	HEIGHT	WIDTH	DEPTH
7160-1733-00	Wireless Charging Phone Cradle	0.3 lbs 0.14 kg	5.5" 13.97 cm	2.6" 6.6 cm	2.4" 6.1 cm
7170-0952	Kit Includes: Wireless Charging Phone Cradle with Silicone Strap (7160-1733-00), Zirkona Medium 2-Down Joiner with Brake (7110-1259), Zirkona 7/8" Clamp (7110-1364), Micro-USB Cable and Car Adapter				
7170-0953	Kit Includes: Wireless Charging Phone Cradle with Silicone Strap (7160-1733-00), Zirkona Medium 2-Down Joiner with Brake (7110-1259), Zirkona 1" Round Clamp (7110-1365), Micro-USB Cable and Car Adapter				
7170-0954	Kit Includes: Wireless Charging Phone Cradle with Silicone Strap (7160-1733-00), Zirkona Medium 2-Down Joiner with Brake (7110-1259), Zirkona Small Suction Cup (19753), Micro-USB Cable and Car Adapter				
7170-0955	Kit Includes: Wireless Charging Phone Cradle with Silicone Strap (7160-1733-00), Zirkona Small Mega-Short Joiner (7110-1237), Zirkona Round Base (17413), Micro-USB Cable and Car Adapter				
7170-0956	Kit Includes: Wireless Charging Phone Cradle with Silicone Strap (7160-1733-00), Zirkona Small Mega-Short Joiner (7110-1237), Zirkona Magnetic Base (17414), Micro-USB Cable and Car Adapter				
7170-0957	Kit Includes: Wireless Charging Phone Cradle with Silicone Strap (7160-1733-00), Zirkona Medium 2-Down Joiner with Brake (7110-1259), Zirkona Screw Clamp (7110-1378), Micro-USB Cable and Car Adapter				

COMMON FEATURES

- Compatible with handheld devices and cases that do not exceed 7 Height x 3.5 Width x 0.53 Depth inches in dimensions.
- Device must have charge via wireless connection. Delivers up to 10W of power for fast speed wireless charging.
- Designed for use with most Qi-enabled wireless charging smartphones
- Rotating vent clip for additional mounting options ensuring stable device placement
- Expanding arms hold a wide variety of phones up to 3.5" width
- Silicone strap adds additional security for safe mounting in any environment
- 20mm threaded adapter to attach a variety of Zirkona mounting solutions for any application
- Installation guide and mounting hardware included
- 1-Year Limited Warranty: Universal USB-C Phone Charging Cradle
- Limited Lifetime Warranty: Zirkona parts



CELL PHONE UNIVERSAL CHARGING CRADLES

ITEM NO.	DESCRIPTION	WEIGHT	HEIGHT	WIDTH	DEPTH
7160-1659-00	Universal Phone Charging Cradle	0.3 lbs 0.14 kg	5.5" 13.97 cm	2.6" 6.6 cm	2.4" 6.1 cm
7160-1659-10	Universal Phone Charging and Data Cradle	0.3 lbs 0.14 kg	5.5" 13.97 cm	2.6" 6.6 cm	2.4" 6.1 cm
7170-0951	Kit Includes: Universal Phone Charging and Data Cradle with Silicone Strap (7160-1659-10), Zirkona Small Mega-Short Joiner (7110-1237), Zirkona Threaded Adapter (17394), Zirkona Heads Up Mounting Bracket (18540)				
7170-0950	Kit Includes: Universal Phone Charging Cradle with Silicone Strap (7160-1659-00), Zirkona Medium 2-Down Joiner with Brake (7110-1259), Zirkona Screw Clamp (7110-1378)				
7170-0949	Kit Includes: Universal Phone Charging Cradle with Silicone Strap (7160-1659-00), Zirkona Small Mega-Short Joiner (7110-1237), Zirkona Magnetic Base (17414)				
7170-0948	Kit Includes: Universal Phone Charging Cradle with Silicone Strap (7160-1659-00), Heads Up Articulating Mount (7110-1237), Zirkona Round Base (17413)				
7170-0947	Kit Includes: Universal Phone Charging Cradle with Silicone Strap (7160-1659-00), Zirkona Medium 2-Down Joiner with Brake (7110-1259), Zirkona Small Suction Cup (19753)				
7170-0946	Kit Includes: Universal Phone Charging Cradle with Silicone Strap (7160-1659-00), Zirkona Medium 2-Down Joiner with Brake (7110-1259), Zirkona 1" Round Clamp (7110-1365)				
7170-0945	Kit Includes: Universal Phone Charging Cradle with Silicone Strap (7160-1659-00), Zirkona Medium 2-Down Joiner with Brake (7110-1259), Zirkona 7/8" Clamp (7110-1364)				

COMMON FEATURES

- Swap out USB-C cable for a different cable for universal compatibility with any phone type
- Compatible with handheld devices and cases that do not exceed 7 Height x 3.5 Width x 0.9 Depth inches in dimensions.
- Device must have charge and data transfer via USB-C connection.
- Compatible with phones using USB-C charging ports
- USB-C charging and data transfer cable, male to male connector (1.2 meter length)
- Use your phone as a second screen or a touchpad device when you connect to a secondary touchscreen
- Combine your phone charging and data cradle with a touchscreen, keyboard, and special mounting equipment to build a complete mobile office solution
- Adjustable charging connector to fit a wide variety of phones
- Phone cradle holds a wide variety of phones and device with up to 3.5" of expanding clamps
- Silicone strap adds additional security for safe mounting in any environment
- 20mm threaded adapter to attach a variety of Zirkona mounting solutions for any application
- Button push release for easy one-handed operation
- Folding legs for added support when needed
- Installation guide and mounting hardware included
- SAE J1455 30mph Crash Tested, RoHS, REACH, FCC, CE, and UKCA Compliance
- 1-Year Limited Warranty



DASH MOUNTS

MAXIMIZE AND SECURE THE SPACE IN YOUR VEHICLE

Gamber-Johnson logistic dash mounts are designed to be installed directly into the dash with no additional drilling required. It provides a great solution for the ELD requirements. With multiple hole patterns on the plate, these dash mounts support a multitude of places to mount your tablet or phone. Pair with a Zirkona mount for an even more versatile solution.



1 ACCESS
CAMERA
ON PHONE



2 LOCATE
AND SCAN
QR CODE



3 CLICK LINK
PROVIDED
BY QR SCAN



4 VIEW OUR
PRODUCTS
ONLINE





FREIGHTLINER CASCADIA DASH MOUNT

ITEM NO.	DESCRIPTION	PLACEMENT	WEIGHT	HEIGHT	WIDTH	DEPTH
7160-1124	2018 Freightliner Cascadia Dash Mount with Offset Bracket	Replaces Existing Dash Plate	3.0 lbs 7.6 kg	7.1" 18.1 cm	9.8" 24.8 cm	2.8" 7.1 cm

FEATURES

- No drilling required solution preventing damage to the dash
- Cigarette power adapter included (attached to the back side of the mount) for easy power access
- Several wire routing options to conceal wires for a clean and professional finished install
- Includes a 1" (2.5 cm) offset adapter plate from AMPs to VESA 75 mm
- Large plate with multiple VESA 75 mm and AMPs hole patterns for multiple options of product placement
- Limited Lifetime Warranty



FREIGHTLINER CASCADIA DASH MOUNT

ITEM NO.	DESCRIPTION	PLACEMENT	WEIGHT	HEIGHT	WIDTH	DEPTH
7160-1124-01	2018 Freightliner Cascadia Dash Mount	Replaces Existing Dash Plate	1.8 lbs 0.8 kg	7.1" 18.1 cm	9.8" 24.8 cm	0.2" 0.5 cm

FEATURES

- No drilling required solution preventing damage to the dash
- Several wire routing options to conceal wires for a clean and professional finished install
- Large plate with multiple VESA 75 mm and AMPs hole patterns for multiple options of product placement
- Limited Lifetime Warranty



FREIGHTLINER CASCADIA DASH MOUNT

ITEM NO.	DESCRIPTION	PLACEMENT	WEIGHT	HEIGHT	WIDTH	DEPTH
7160-1124-02	2018 Freightliner Cascadia Dash Mount with Offset Bracket and without Power Adapter	Replaces Existing Dash Plate	2.7 lbs 6.9 kg	7.1" 18.1 cm	9.8" 24.8 cm	1.2" 3.1 cm

FEATURES

- No drilling required solution preventing damage to the dash
- Several wire routing options to conceal wires for a clean and professional finished install
- Includes a 1" (2.5 cm) offset adapter plate from AMPs to VESA 75 mm
- Large plate with multiple VESA 75 mm and AMPs hole patterns for multiple options of product placement
- Limited Lifetime Warranty



FREIGHTLINER M2 DASH MOUNT

ITEM NO.	DESCRIPTION	PLACEMENT	WEIGHT	HEIGHT	WIDTH	DEPTH
7160-1301	Freightliner M2 Dash Mount	Attaches to Temperature Control Panel	1.2 lbs 0.5 kg	9.0" 22.9 cm	5.0" 12.8 cm	2.3" 5.9 cm

FEATURES

- Designed specifically for the Freightliner M2 to eliminate the need for drilling additional holes into the dash
- Designed for mounting multiple small devices from the same mount
- Maintains access to temperature control knobs and stays clear of other dials and switches
- Utilizes AMPs mounting hole pattern, best suited for mounting Gamber-Johnson's Zirkona solutions and tilt mounts
- Limited Lifetime Warranty

INTERNATIONAL PROSTAR DIN MOUNT

ITEM NO.	DESCRIPTION	PLACEMENT	WEIGHT	HEIGHT	WIDTH	DEPTH
7160-1168	International ProStar Semi-Truck Pocket Mount	Attaches within DIN Pocket	1.5 lbs 0.7 kg	3.1" 7.8 cm	5.0" 12.7 cm	2.8" 7.0 cm

**FEATURES**

- Designed to be drilled into the double DIN pocket within the dash, bringing the mount closer to the dash
- Tilt capabilities to easily adjust your tablet or device and give drivers comfort and ease of viewing
- Utilizes AMPs mounting hole pattern, best suited for mounting Gamber-Johnson's Zirkona solutions and tilt mounts
- Limited Lifetime Warranty

INTERNATIONAL LT DASH MOUNT

ITEM NO.	DESCRIPTION	PLACEMENT	WEIGHT	HEIGHT	WIDTH	DEPTH
7160-1243	International LT Dash Mount with Tilting Bracket	Replaces Existing Dash Plate	1.9 lbs 0.8 kg	4.8" 12.1 cm	9.1" 23.2 cm	2.6" 6.5 cm

**FEATURES**

- No drilling required solution preventing damage to the dash
- Tilt capabilities to easily adjust your tablet or device and give drivers comfort and ease of viewing
- Mounts device closer to the dash so drivers can easily access switches, dials, or other electronics without interference
- Provides USB and cigarette power adapter knockouts for easy charging access (USB and cigarette adapters sold separately)
- Utilizes AMPs and VESA 75 mm mounting hole patterns to adapt to devices
- Limited Lifetime Warranty

INTERNATIONAL LT DASH MOUNT

ITEM NO.	DESCRIPTION	PLACEMENT	WEIGHT	HEIGHT	WIDTH	DEPTH
7160-1243-01	International LT Dash Mount with Phone Mount	Replaces Existing Dash Plate	1.5 lbs 0.7 kg	4.8" 12.1 cm	9.1" 23.2 cm	5.5" 14.0 cm

**FEATURES**


- Make and model specific solution and intended to eliminate the need for drilling additional holes into the dash
- Provides USB and cigarette power adapter knockouts for easy charging access (USB and cigarette adapters sold separately)
- Large range of motion and quick adjust lever to effortlessly move to a desired position
- Dash plate provides multiple AMPs hole patterns for placement of the phone mount
- 1 Year Limited Warranty on Zirkona products and phone holder
- Limited Lifetime Warranty on dash plate

INTERNATIONAL LT DASH MOUNT

ITEM NO.	DESCRIPTION	PLACEMENT	WEIGHT	HEIGHT	WIDTH	DEPTH
7160-1243-02	International LT Dash Mount	Replaces Existing Dash Plate	1.8 lbs 0.8 kg	4.8" 12.1 cm	9.1" 23.2 cm	0.5" 1.3 cm

**FEATURES**

- No drilling required solution preventing damage to the dash
- Provides USB and cigarette power adapter knockouts for easy charging access (USB and cigarette adapters sold separately)
- Utilizes AMPs mounting hole pattern, best suited for mounting Gamber-Johnson's Zirkona solutions and tilt mounts
- Limited Lifetime Warranty



KENWORTH T680/T880 DASH MOUNT

ITEM NO.	DESCRIPTION	PLACEMENT	WEIGHT	HEIGHT	WIDTH	DEPTH
7160-1283	Kenworth T680/T880 Dash Mount	Replaces Existing Dash Plate	1.2 lbs 0.5 kg	5.7" 14.2 cm	9.8" 24.8 cm	0.7" 1.7 cm
FEATURES <ul style="list-style-type: none"> - Designed specifically for the Kenworth T680/T880 to eliminate the need for drilling additional holes into the dash - Cigarette power adapter included (attached to the back side of the mount) for easy power access - Several wire routing options to conceal wires for a clean and professional finished install - Utilizes AMPs mounting hole pattern, best suited for mounting Gamber-Johnson's Zirkona solutions and tilt mounts - Limited Lifetime Warranty 						



KENWORTH T680/T880 DASH MOUNT

ITEM NO.	DESCRIPTION	PLACEMENT	WEIGHT	HEIGHT	WIDTH	DEPTH
7160-1283-01	Kenworth T680/T880 Dash Mount with Tilting Bracket	Replaces Existing Dash Plate	1.2 lbs 0.5 kg	5.7" 14.2 cm	9.8" 24.8 cm	0.7" 1.7 cm
FEATURES <ul style="list-style-type: none"> - Designed specifically for the Kenworth T680/T880 to eliminate the need for drilling additional holes into the dash - Cigarette power adapter included (attached to the back side of the mount) for easy power access - Several wire routing options to conceal wires for a clean and professional finished install - Utilizes AMPs and VESA 75 mm mounting hole patterns to adapt to devices - Limited Lifetime Warranty 						



PETERBILT 579 DASH MOUNT

ITEM NO.	DESCRIPTION	PLACEMENT	WEIGHT	HEIGHT	WIDTH	DEPTH
7160-1295	Peterbilt 579 Dash Mount	Attaches Over Parking Brake and Air Supply Knobs	0.7 lbs 0.3 kg	6.6" 16.7 cm	5.7" 14.5 cm	1.5" 3.8 cm
FEATURES <ul style="list-style-type: none"> - No drilling required solution preventing damage to the dash - Mount is designed to prevent interference with other functions from the dash - Utilizes AMPs mounting hole pattern, best suited for mounting Gamber-Johnson's Zirkona solutions and tilt mounts - Limited Lifetime Warranty 						



PETERBILT 389 DASH MOUNT

ITEM NO.	DESCRIPTION	PLACEMENT	WEIGHT	HEIGHT	WIDTH	DEPTH
7160-1302	Peterbilt 389 Dash Mount	Replaces 2 Unused/Spare Switches that are Side by Side	0.4 lbs 0.2 kg	2.5" 6.4 cm	2.5" 6.4 cm	0.3" 0.6 cm
FEATURES <ul style="list-style-type: none"> - No drilling required solution preventing damage to the dash - Mounts device and maintains access to switches, dials, or other electronics without interference - Utilizes AMPs mounting hole pattern, best suited for mounting Gamber-Johnson's Zirkona solutions - Limited Lifetime Warranty 						



VOLVO VNL SWITCH PANEL MOUNT

ITEM NO.	DESCRIPTION	PLACEMENT	WEIGHT	HEIGHT	WIDTH	DEPTH
7160-1177	Volvo VNL Switch Panel Mount (2017 and Older)	Attaches in Switch Plate	0.4 lbs 0.2 kg	2.3" 5.7 cm	2.4" 6.1 cm	2.4" 6.1 cm
FEATURES <ul style="list-style-type: none"> - Designed specifically for Volvo Semi-Trucks to eliminate the need for drilling additional holes into the dash - Utilizes AMPs mounting hole pattern, best suited for mounting Gamber-Johnson's Zirkona solutions - Limited Lifetime Warranty 						

TILT MOUNT

ITEM NO.	DESCRIPTION	MAXIMUM PAYLOAD CAPACITY*	WEIGHT	HEIGHT	WIDTH	DEPTH
7160-1262	Tilting Mount for Semi-Trucks	Attach to Dash, Flat Surface, or OEM Specific Dash Mounts	0.9 lbs 0.4 kg	4.2" 10.7 cm	3.8" 9.5 cm	2.1" 5.2 cm

**FEATURES**

- Utilized as a drilled solution to mount virtually anywhere or adapts to Gamber-Johnson OEM Specific Dash Mounts to perfectly align with your mounting needs
- Tilt and set features to easily adjust the tablet or device for comfortable use by the driver
- Designed for close-to-dash mounting
- AMPs and VESA 75 mm mounting hole patterns to easily adapt electronic devices
- Limited Lifetime Warranty

PEDESTAL MOUNTS**SEMI-TRUCK BASE**

ITEM NO.	DESCRIPTION	MAXIMUM PAYLOAD CAPACITY*	WEIGHT	HEIGHT	WIDTH	DEPTH
7170-1057	Universal Day Cab and Over the Road Sleeper, Semi-Truck Base	Attaches Under Passenger Side Standard Bucket and Air Ride Seats	25.5 lbs 11.6 kg	19.1" 48.5 cm	18.8" 47.6 cm	26.3" 66.8 cm

FEATURES

- Compatible with most Class 8 Day Cab and Over the Road Sleeper Semi-Trucks
- For full list of vehicle compatibility visit product page 7160-0198 on gamberjohnson.com
- Allows egress to the back of the sleeper cab
- Does not interfere with standard floor shift
- Support Brace (7160-0231) is highly recommended and can be bolted directly to the vehicle base
- Pole can be rotated in four positions in order to adjust to cab configurations and driver ergonomics
- Limited Lifetime Warranty

Note: This base will not work with International trucks with an integrated air conditioning system under the seat

SEMI-TRUCK PEDESTAL KIT

ITEM NO.	DESCRIPTION	PLACEMENT	WEIGHT	HEIGHT	WIDTH	DEPTH
7170-0580	Universal Day Cab and Over the Road Sleeper, Semi-Truck Pedestal Kit Kit Includes: Universal Day Cab and Over the Road Sleeper Semi-Truck Base (7160-0198), 7" Center-Mounted Upper Pole (7160-0178), Mongoose-9" Locking Slide Arm (7160-0220), and Long Support Brace (7160-0231)	Attaches Under Passenger Side Standard Bucket and Air Ride Seats	37.1 lbs 16.8 kg	18.9" to 24.4" 48.0 cm to 61.9 cm	26.5" 67.4 cm	26.3" 66.8 cm

FEATURES

- Compatible with most Class 8 Day Cab and Over the Road Sleeper Semi-Trucks
- For full list of vehicle compatibility visit product page 7170-0580 on gamberjohnson.com
- Mongoose motion attachment lets you rotate, tilt, telescope 9" to 13" closer to you and lock your device to any desired position
- Allows egress to the back of the sleeper cab
- Does not interfere with standard floor shift
- Limited Lifetime Warranty

Note: This base will not work with International trucks with an integrated air conditioning system under the seat



zirkona[®]

A MODULAR AND LIGHT-WEIGHT SOLUTION FOR YOUR TABLET DEVICE

Our Zirkona product line features an innovative, encapsulated joiner that allows users to rotate their small, lightweight devices (up to 11 pounds depending on the joiner) to the best possible position. This unique flexibility makes it possible to quickly adapt to nearly any application so that the user has an ergonomically correct position and minimal time is wasted fidgeting with repetitive adjustments. Knowing your technology is as secure as it is accessible makes Zirkona the ideal go-to solution.



1 ACCESS
CAMERA
ON PHONE



2 LOCATE
AND SCAN
QR CODE



3 CLICK LINK
PROVIDED
BY QR SCAN



4 VIEW OUR
PRODUCTS
ONLINE



BUILDING SOLUTIONS WITH ZIRKONA



DEVICE PLATE

Available in several mounting designs for unique device adaption, the device plate securely holds your light-weight device in place to the complete the Zirkona solution.

JOINER

Our unique encapsulated joiner allows users to rotate their small, lightweight devices easily and effortlessly. Available in two styles (traditional and two-down) and three different sizes to give users increased flexibility for a variety of payloads.

EXTENSION

Extensions and adapters allow users to build the most desired solution for their needs. Available in a variety of extension lengths and configurations these pieces of the Zirkona product line are the key to customizability.

BASE PLATE

Our wide variety of base plates gives your Zirkona solution the structural integrity it needs to withstand even the most extreme situations.

Choose from one of our pre-configured solution or start with the base and build something truly one-of-a kind for your specific need.



MAXIMUM PAYLOAD CAPACITY

Determining the correct size joiner for your set up is essential for designing the perfect mounting solution for your needs. Each joiner has a specified weight rating, in both static and vibration environments, to help ensure your device will mount as intended and standup in harsh environments for the long haul. To learn more about our entire Zirkona offering visit gamberjohnson.com/Zirkona.



VIBRATION
ENVIRONMENT

STATIC
ENVIRONMENT

SMALL JOINER	MEDIUM JOINER	LARGE JOINER	MEDIUM 2-DOWN JOINER	LARGE 2-DOWN JOINER	ZIRKONA 6" JOINER WITH SWIVEL	MEDIUM SHORT JOINER WITH BRAKE	LARGE SHORT JOINER WITH BRAKE
7110-1234	7110-1235	7110-1236	7110-1259	7110-1260	7110-1431	7110-1406	7110-1416
Holds up to 3 lbs / 1.4 kg	Holds up to 6 lbs / 2.8 kg	Holds up to 11 lbs / 5.0 kg	Holds up to 6 lbs / 2.8 kg	Holds up to 11 lbs / 5.0 kg	Holds up to 6 lbs / 2.8 kg	Holds up to 6 lbs / 2.8 kg	Holds up to 30 lbs / 13.61 kg
Holds up to 22 lbs / 10 kg	Holds up to 33 lbs / 15 kg	Holds up to 55 lbs / 25 kg	Holds up to 33 lbs / 15 kg	Holds up to 55 lbs / 25 kg	Holds up to 33 lbs / 15 kg	Holds up to 33 lbs / 15 kg	Holds up to 140 lbs / 63.5 kg

- **Warning:** Extension tube will lower the overall payload rating of the joiner. The longer the extension pole, the lower the overall rating for the joiner.
 - Lower the maximum payload by 20% for every 2" (50 mm) of extension tube.
 - Example:** 6" (150 mm) extension = reduce maximum payload by 60%
- **Note:** Neither the 12" (300 mm) tube nor the small joiner should be used for mounting TV screens.



PIVOT MOUNTS



ITEM NO.	DESCRIPTION	MAXIMUM PAYLOAD CAPACITY*	WEIGHT	HEIGHT	WIDTH	DEPTH
7160-1132	Zirkona Pivot Arm with 2" Extension and AMPs/NEC Plate	Vibration Environment 6 lbs / 1.4 kg Static Environment 33 lbs / 15 kg	2.5 lbs 1.1 kg	4.6" 11.6 cm	2.3" 5.7 cm	8.0" 20.3 cm
7160-1132-01	Zirkona Pivot Arm with 2" Extension and VESA 75 mm Plate	Vibration Environment 6 lbs / 1.4 kg Static Environment 33 lbs / 15 kg	2.6 lbs 1.2 kg	4.6" 11.6 cm	2.3" 5.7 cm	8.0" 20.3 cm
7160-1132-04	Zirkona Pivot Arm with 2" Extension and VESA 100 mm Plate	Vibration Environment 6 lbs / 1.4 kg Static Environment 33 lbs / 15 kg	2.7 lbs 1.3 kg	4.6" 11.6 cm	2.3" 5.7 cm	8.0" 20.3 cm
7160-1132-02	Zirkona Pivot Arm with 4" Extension and AMPs/NEC Plate	Vibration Environment 6 lbs / 1.4 kg Static Environment 33 lbs / 15 kg	2.6 lbs 1.2 kg	4.6" 11.6 cm	2.3" 5.7 cm	10.0" 25.4 cm
7160-1132-03	Zirkona Pivot Arm with 4" Extension and VESA 75 mm Plate	Vibration Environment 6 lbs / 1.4 kg Static Environment 33 lbs / 15 kg	2.7 lbs 1.3 kg	4.6" 11.6 cm	2.3" 5.7 cm	10.0" 25.4 cm
7160-1132-05	Zirkona Pivot Arm with 4" Extension and VESA 100 mm Plate	Vibration Environment 6 lbs / 1.4 kg Static Environment 33 lbs / 15 kg	2.8 lbs 1.4 kg	4.6" 11.6 cm	2.3" 5.7 cm	10.0" 25.4 cm
7160-1132-06	Zirkona Pivot Arm with 6" Extension and AMPs/NEC Plate	Vibration Environment 6 lbs / 1.4 kg Static Environment 33 lbs / 15 kg	2.7 lbs 1.3 kg	4.6" 11.6 cm	2.3" 5.7 cm	12.0" 30.5 cm
7160-1132-07	Zirkona Pivot Arm with 6" Extension and VESA 75 mm Plate	Vibration Environment 6 lbs / 1.4 kg Static Environment 33 lbs / 15 kg	2.8 lbs 1.4 kg	4.6" 11.6 cm	2.3" 5.7 cm	12.0" 30.5 cm
7160-1132-08	Zirkona Pivot Arm with 6" Extension and VESA 100 mm Plate	Vibration Environment 6 lbs / 1.4 kg Static Environment 33 lbs / 15 kg	2.9 lbs 1.5 kg	4.6" 11.6 cm	2.3" 5.7 cm	12.0" 30.5 cm
FEATURES <ul style="list-style-type: none"> - Attaches to dash or flat vertical surface - Back plate adds additional weight distribution to reduce the risk of damaging the dash - Large range of motion and quick adjust lever to effortlessly move to a desired position - Drilled solution allows devices to be mounted in the most convenient position for the user - 1 Year Limited Warranty <p><i>Note:</i> Extensions will decrease maximum payload capacity. Visit gamberjohnson.com for more details</p>						

MULTI-FUNCTION PIVOT MOUNTS

ITEM NO.	DESCRIPTION	MAXIMUM PAYLOAD CAPACITY*	WEIGHT	HEIGHT	WIDTH	DEPTH
7160-1385	Zirkona Multi-Function Pivot Arm with 2" Extension and AMPs/ NEC Plate	Vibration Environment 6 lbs / 1.4 kg Static Environment 33 lbs / 15 kg	1.3 lbs 0.6 kg	3.0" 7.6 cm	3.0" 7.6 cm	8.9" 22.5 cm
7160-1385-01	Zirkona Multi-Function Pivot Arm with 2" Extension and VESA 75 mm Plate	Vibration Environment 6 lbs / 1.4 kg Static Environment 33 lbs / 15 kg	1.4 lbs 0.6 kg	3.0" 7.6 cm	3.0" 7.6 cm	8.9" 22.5 cm
7160-1385-02	Zirkona Multi-Function Pivot Arm with 4" Extension and AMPs/ NEC Plate	Vibration Environment 6 lbs / 1.4 kg Static Environment 33 lbs / 15 kg	1.4 lbs 0.6 kg	3.0" 7.6 cm	3.0" 7.6 cm	10.9" 27.6 cm
7160-1385-03	Zirkona Multi-Function Pivot Arm with 4" Extension and VESA 75 mm Plate	Vibration Environment 6 lbs / 1.4 kg Static Environment 33 lbs / 15 kg	1.5 lbs 0.7 kg	3.0" 7.6 cm	3.0" 7.6 cm	10.9" 27.6 cm
7160-1385-04	Zirkona Multi-Function Pivot Arm with 6" Extension and AMPs/ NEC Plate	Vibration Environment 6 lbs / 1.4 kg Static Environment 33 lbs / 15 kg	1.5 lbs 0.7 kg	3.0" 7.6 cm	3.0" 7.6 cm	12.9" 32.8 cm
7160-1385-05	Zirkona Multi-Function Pivot Arm with 6" Extension and VESA 75 mm Plate	Vibration Environment 6 lbs / 1.4 kg Static Environment 33 lbs / 15 kg	1.6 lbs 0.7kg	3.0" 7.6 cm	3.0" 7.6 cm	12.9" 32.8 cm



7160-1385-01



7160-1385-02



7160-1385-03

FEATURES

- Attaches to dash, flat surface, or OEM Specific Dash Mounts
- Back plate adds additional weight distribution to reduce the risk of damaging the dash
- Push and twist quick release base and multiple quick adjust handles in order to optimize device position and provide easy removal
- Utilized as a drilled solution to virtually mount anywhere or adapts to Gamber-Johnson OEM Specific Dash Mounts to perfectly align with your mounting needs
- No need to install extra hardware with an easy to install back plate

- 1 Year Limited Warranty

Note: Extensions will decrease maximum payload capacity. Visit gamberjohnson.com for more details

DOG-BONE MOUNTS

ITEM NO.	DESCRIPTION	MAXIMUM PAYLOAD CAPACITY*	WEIGHT	HEIGHT	WIDTH	DEPTH
7160-1410	Zirkona 6" Medium Dog-Bone Joiner with AMPs/NEC Plate	Vibration Environment 6 lbs / 1.4 kg Static Environment 33 lbs / 15 kg	1.3 lbs 0.6 kg	5.0" 12.7 cm	5.0" 12.7 cm	9.0" 22.9 cm
7160-1410-01	Zirkona 6" Medium Dog-Bone Joiner with VESA 75 mm Plate	Vibration Environment 6 lbs / 1.4 kg Static Environment 33 lbs / 15 kg	1.4 lbs 0.6 kg	5.0" 12.7 cm	5.0" 12.7 cm	9.0" 22.9 cm



7160-1410



7160-1410-1

FEATURES

- Attaches to dash, flat surface, or OEM Specific Dash Mounts
- Back plate adds additional weight distribution to reduce the risk of damaging the dash
- Utilized as a drilled solution to virtually mount anywhere or adapts to Gamber-Johnson OEM Specific Dash Mounts
- Large range of motion and quick adjust lever to effortlessly move to a desired position
- No need to install extra hardware with an easy to install back plate

- 1 Year Limited Warranty

Note: Extensions will decrease maximum payload capacity. Visit gamberjohnson.com for more details.

MEDIUM JOINER MOUNTS



7160-1179



7160-1179-01



7160-1240



7160-1240-01

ITEM NO.	DESCRIPTION	MAXIMUM PAYLOAD CAPACITY*	WEIGHT	HEIGHT	WIDTH	DEPTH
7160-1179	Zirkona Medium Joiner with VESA 75 mm Plate	Vibration Environment 6 lbs / 1.4 kg Static Environment 33 lbs / 15 kg	1.3 lbs 0.6 kg	3.2" 8.1 cm	3.2" 8.1 cm	4.4" 11.2 cm
7160-1179-01	Zirkona Medium Joiner with VESA 75 mm Plate and Back Plate	Vibration Environment 6 lbs / 1.4 kg Static Environment 33 lbs / 15 kg	1.4 lbs 0.6 kg	3.2" 8.1 cm	3.2" 8.1 cm	4.4" 11.2 cm
7160-1240	Zirkona Medium Joiner with AMPs/NEC Plate	Vibration Environment 6 lbs / 1.4 kg Static Environment 33 lbs / 15 kg	1.4 lbs 0.6 kg	3.2" 8.1 cm	3.2" 8.1 cm	4.4" 11.2 cm
7160-1240-01	Zirkona Medium Joiner with AMPs/NEC Plate and Back Plate	Vibration Environment 6 lbs / 1.4 kg Static Environment 33 lbs / 15 kg	1.5 lbs 0.7 kg	3.2" 8.1 cm	3.2" 8.1 cm	4.4" 11.2 cm

FEATURES

- Attaches to dash, flat surface, or OEM Specific Dash Mounts

- Utilized as a drilled solution to virtually mount anywhere or adapts to Gamber-Johnson OEM Specific Dash Mounts to perfectly align with your mounting needs
- Large range of motion and quick adjust lever to effortlessly move to a desired position
- Products with back plate adds additional weight distribution to reduce the risk of damaging the dash
- 1 Year Limited Warranty

Note: Extensions will decrease maximum payload capacity. Visit gamberjohnson.com for more details.

MEDIUM JOINER EXTENDED MOUNTS



7160-1180



7160-1180-01



7160-1239



7160-1239-01

ITEM NO.	DESCRIPTION	MAXIMUM PAYLOAD CAPACITY*	WEIGHT	HEIGHT	WIDTH	DEPTH
7160-1180	Zirkona Medium Joiner with 2" Extension and VESA 75 mm Plate	Vibration Environment 6 lbs / 1.4 kg Static Environment 33 lbs / 15 kg	1.5 lbs 0.7 kg	3.2" 8.1 cm	3.2" 8.1 cm	6.4" 11.2 cm
7160-1180-01	Zirkona Medium Joiner with 2" Extension, VESA 75 mm Plate, and Back Plate	Vibration Environment 6 lbs / 1.4 kg Static Environment 33 lbs / 15 kg	1.6 lbs 0.7 kg	3.2" 8.1 cm	3.2" 8.1 cm	6.4" 11.2 cm
7160-1239	Zirkona Medium Joiner with 2" Extension and AMPs/NEC Plate	Vibration Environment 6 lbs / 1.4 kg Static Environment 33 lbs / 15 kg	1.4 lbs 0.7 kg	3.2" 8.1 cm	3.2" 8.1 cm	6.4" 11.2 cm
7160-1239-01	Zirkona Medium Joiner with 2" Extension, AMPs/NEC Plate, and Back Plate	Vibration Environment 6 lbs / 1.4 kg Static Environment 33 lbs / 15 kg	1.5 lbs 0.7 kg	3.2" 8.1 cm	3.2" 8.1 cm	6.4" 11.2 cm

FEATURES

- Attaches to dash, flat surface, or OEM Specific Dash Mounts

- Utilized as a drilled solution to virtually mount anywhere or adapts to Gamber-Johnson OEM Specific Dash Mounts to perfectly align with your mounting needs
- Added extension brings the device closer to the user or creates easier access to other necessary switches and functions
- Large range of motion and quick adjust lever to effortlessly move to a desired position
- Products with back plate adds additional weight distribution to reduce the risk of damaging the dash
- 1 Year Limited Warranty

Note: Extensions will decrease maximum payload capacity. Visit gamberjohnson.com for more details

SUCTION CUP WITH DASH SUPPORT AND DOG BONE MOUNTS

ITEM NO.	DESCRIPTION	MAXIMUM PAYLOAD CAPACITY*	WEIGHT	HEIGHT	WIDTH	DEPTH
7170-0942	Suction Cup with Dash Support and Dog Bone with Round AMPS Plate	Vibration Environment 6 lbs / 1.4 kg Static Environment 33 lbs / 15 kg	1.3 lbs 0.6 kg	5.0" 12.7 cm	5.0" 12.7 cm	9.0" 22.9 cm
7170-0942-01	Suction Cup Mount with Dash Support and Dog-Bone With VESA 75mm Mounting Plate	Vibration Environment 6 lbs / 1.4 kg Static Environment 33 lbs / 15 kg	1.4 lbs 0.6 kg	5.0" 12.7 cm	5.0" 12.7 cm	9.0" 22.9 cm

FEATURES

- No drill design allows for easy installation without the use of tools
- Mount assembly can conveniently be moved from vehicle to vehicle
- Quickly secures you valuable technology when used with a Gamber-Johnson designed cradle
- 1 Year Limited Warranty

Kit Includes

- Zirkona Small Suction Cup Mount (19753)
- Zirkona 6" Medium Dogbone with Center Swivel
- Zirkona Medium 2-Down Joiner with Front Brake
- All necessary Mounting Hardware
- AMPS or VESA 75 Mounting Plate

Note: Extensions will decrease maximum payload capacity. Visit gamberjohnson.com for more details.



7170-0942



7170-0942-01

WIRELESS CHARGING PHONE CRADLE

ITEM NO.	DESCRIPTION	PLACEMENT	WEIGHT	HEIGHT	WIDTH	DEPTH/DIAMETER
7160-1733	Wireless charging phone cradle with vent clip mount	Any Vent	0.3 lbs / 0.14 kg	5.5 in / 13.97 cm	2.6 in / 6.6 cm	2.4 in / 6.1 cm
7170-0957	Wireless Charging Phone Cradle with Zirkona Joiner and Screw Clamp	Universal jaw clamp design allows for multiple mounting solutions	0.5 lbs / 0.23 kg	4.5 in / 11.43 cm	3.38 in / 8.59 cm	1.54 in / 3.91 cm
7170-0956	Wireless Charging Phone Cradle with Zirkona Mount and Magnetic Base	Any metal surface	0.2 lbs / 0.09 kg	2.75 in / 6.99 cm	2.12 in / 5.38 cm	2.12 in / 5.38 cm
7170-0955	Wireless Charging Phone Cradle with Zirkona Mount and Round Base	AMPS hole pattern	0.2 lbs / 0.09 kg	2.75 in / 6.99 cm	2.12 in / 5.38 cm	2.12 in / 5.38 cm
7170-0954	Wireless Charging Phone Cradle with Zirkona Joiner and Small Suction Cup	Any Flat, Smooth, Non-Porous Surface	2 lbs / 0.91 kg	2 in / 5.08 cm	3.5 in / 8.89 cm	1.54 in / 3.91 cm

FEATURES

- Delivers up to 10W of power for fast speed wireless charging
- Designed for use with most Qi-enabled wireless charging smartphones
- Expanding arms hold a wide variety of phones up to 3.5" width
- Silicone strap adds additional security for safe mounting in any environment
- 20mm threaded adapter to attach a variety of Zirkona mounting solutions for any application
- Joiner's internal braking system allows adjustment with ease while not having the device fall (weight restrictions apply)
- Installation guide and mounting hardware included



7160-1733



7170-0957



7170-0956



7170-0955



7170-0954

UNIVERSAL PHONE MOUNT



7170-0856

ITEM NO.	DESCRIPTION	PLACEMENT	WEIGHT	HEIGHT	WIDTH	DEPTH/ DIAMETER
7170-0856	Phone Mount with Suction Cup	Any Flat, Smooth, Non-Porous Surface	1.02 lbs 0.46 kg	7" 17.78 cm	4.66" 11.84 cm	4.66" 11.84 cm

KIT FEATURES

- Easy to install on a console box
- Features a Zirkona joiner with 360° rotation so you can position the phone to any viewing angle
- Phone cradle can be easily removed from the joiner and base, and be attached to any Zirkona mounting bracket



7160-0995-00

7160-0995-00	Zirkona Screw Base Cell Phone Holder	In Strong Flat Surface, Most Cell Phones and Similar Sized Devices	0.5 lbs 0.2 kg	4.63" 11.76 cm	2.63" - 4.5" 6.68 cm - 11.43 cm	4.38" 11.13 cm
--------------	--------------------------------------	--	-------------------	-------------------	------------------------------------	-------------------

KIT FEATURES

- Easy to install on a console box
- Features a Zirkona joiner with 360° rotation so you can position the phone to any viewing angle
- Phone cradle can be easily removed from the joiner and base, and be attached to any Zirkona mounting bracket



7160-0996-00

7160-0996-00	Zirkona Magnetic Base Cell Phone Holder	Any Magnetic Surface	0.5 lbs 0.2 kg	4.63" 11.76 cm	2.63" - 4.5" 6.68 cm - 11.43 cm	4.38" 11.13 cm
--------------	---	----------------------	-------------------	-------------------	------------------------------------	-------------------

KIT FEATURES

- Handsfree display for small handhelds
- Easy to install on a console box
- Powerful neodymium magnet has 105 lbs of pull force so your phone will stay in place
- Features a Zirkona joiner with 360° rotation so you can position the phone to any viewing angle
- Phone cradle can be easily removed from the joiner and base, and be attached to any Zirkona mounting bracket



7170-0857

7170-0857	6" Flat Surface Phone Mount	Mounts on Dashes and Other Flat And Stable Surfaces	0.98 lbs 0.44 kg	14.5" 36.83 cm	3" 7.62 cm	3" 7.62 cm
-----------	-----------------------------	---	---------------------	-------------------	---------------	---------------

KIT FEATURES

- Use your dash for a better place to put your phone
- Four (4) simple drilled holes into the dash provide a strong support when accompanied with the backer plate
- Pivot Joint allows for any desired angle
- The medium 2-down joiner with brake allows for easy, one-handed adjustment
- 6" (150 mm) extension allows for longer reach
- Includes: (1) Medium 2-down joiner, (1) AMPS Backer Plate, (1) Pivot Elbow, (1) 6" extension, (1) Phone cradle, and (1) AMPS Backer - Plate Hardware Bag



7170-0858

7170-0858	Zirkona Standard Clamp Phone Mount	Use on Round Tubes from 0.5" (1.27 cm) to 1.69" (4.29 cm) in Diameter or Square Posts up to 1.44" (3.66 cm) in Width	0.9 lbs 0.41 kg	9.66" 24.54 cm	3.5" 8.89 cm	3.5" 8.89 cm
-----------	------------------------------------	--	--------------------	-------------------	-----------------	-----------------

KIT FEATURES

- Standard clamp mounts around posts up to 1.69" (4.29 cm) giving you flexibility on what and where to mount your solution
- Rubber spacers in the camp help provide grip to whatever surface it's in contact with
- The medium 2-down joiner with brake allows for easy, one-handed adjustment
- Clamping allows for a clean, no drilling required option for your device
- Includes: (1) Phone Cradle, (1) Medium 2-down joiner, and (1) standard size clamp



7170-0859

7170-0859	Zirkona Small Clamp Phone Mount	Works on Any Handlebars, Stable Pipe or Post Ranging from 0.5" (0.64 cm) to 1" (2.5 cm)	0.9 lbs 0.41 kg	8.25" 20.96 cm	3.5" 8.89 cm	3.5" 8.89 cm
-----------	---------------------------------	---	--------------------	-------------------	-----------------	-----------------

KIT FEATURES

- Small clamp is ideal for handlebars or anywhere space is needed
- Shorter hardware helps keep catch points to a minimum while still holding your device
- The medium 2-down joiner with brake allows for easy, one-handed adjustment
- Clamping allows for a clean, no drilling required option for your device
- Includes: (1) Phone Cradle, (1) Medium 2-down joiner, and (1) small size clamp

PHONE MOUNT FEATURES

- Foldable legs provide extra support for your phone
- Create a hands-free display for GPS, phone and music by combining this cradle with a variety of different Zirkona mounting components
- One button quick release, no need to expand the cradle sides with your hands
- Works in either portrait or landscape orientation

UNIVERSAL PHONE CHARGING CRADLE

ITEM NO.	DESCRIPTION	PLACEMENT	WEIGHT	HEIGHT	WIDTH	DEPTH/ DIAMETER
7160-1659-00	Universal Phone Charging Cradle	20mm threaded adapter to attache to Zirkona mounts	0.3 lbs / 0.14 kg	5.5 in / 13.97 cm	2.6 in / 6.6 cm	2.4 in / 6.1 cm
7160-1659-10	Universal Phone Charging and Data Cradle	20mm threaded adapter to attache to Zirkona mounts	0.3 lbs / 0.14 kg	5.5 in / 13.97 cm	2.6 in / 6.6 cm	2.4 in / 6.1 cm
7170-0950	Universal Phone Charging Cradle with Zirkona Joiner and Screw Clamp	Universal jaw clamp design allows for multiple mounting solutions	0.5 lbs / 0.23 kg	4.5 in / 11.43 cm	3.38 in / 8.59 cm	1.54 in / 3.91 cm
7170-0949	Universal Phone Charging Cradle with Zirkona Joiner and Magnetic Base	Any Metal Surface	0.2 lbs / 0.09 kg	2.75 in / 6.99 cm	2.12 in / 5.38 cm	2.12 in / 5.38 cm
7170-0948	Universal Phone Charging Cradle with Zirkona Joiner and Round Base	AMPS hole pattern	0.2 lbs / 0.09 kg	2.75 in / 6.99 cm	2.12 in / 5.38 cm	2.12 in / 5.38 cm
7170-0947	Universal Phone Charging Cradle with Zirkona Joiner and Small Suction Cup	Any Flat, Smooth, Non-Porous Surface	2 lbs / 0.91 kg	2 in / 5.08 cm	3.5 in / 8.89 cm	1.54 in / 3.91 cm

FEATURES

- Can swap out USB-C cable for different cable based off phone type
- Keep your phone or small device in clear view for GPS or charging your device.
- Compatible with phones using USB-C charging ports
- USB-C charging cable, male to male connector (1.2 meter length)
- Adjustable charging connector to fit a wide variety of phones
- Phone cradle holds a wide variety of phones and device with up to 3.5" of expanding clamps
- Silicone strap adds additional security for safe mounting in any environment
- 20mm threaded adapter to attach a variety of Zirkona mounting solutions for any application
- One-button push release for easy one-hand operation
- Folding support legs for added support when needed
- Installation guide and mounting hardware included



7160-1659-00 / 10



7170-0950



7170-0949



7170-0948



7170-0947

GAMBER GUARD WARRANTY



GAMBER GUARD EXTENDED SERVICE PLAN

Keep your investments protected longer

Gamber Guard Extended Service Plan extends the life of your investment. Your Gamber-Johnson docking station will protect and extend the life of your computer; with Gamber Guard, your docking station is covered with an extended warranty and those unexpected warranty claims are covered long-term. Expedited service to Gamber Guard customers ensures you won't miss a beat. Ask your reseller about our volume-based pricing opportunities.

FEATURES

- Gamber Guard extends our standard warranty to 5-years (3-Year standard warranty + 2 additional years)
 - The extended warranties are subject to the same terms and exclusions as the standard warranty for the products.
- Free return ground shipping in the US.
- If you encounter accidental electronics damage, Gamber Guard will cover two FREE PCB replacements and two FREE RF Pass thru (GPS/LAN/WAN) cables per serial number for the life of the contract based on electronics availability.
- Gamber Guard must be purchased within 30 days of product purchase.

Gamber-Johnson warrants to the reseller and the original end user of any Gamber-Johnson product that it will be free from defects in materials and workmanship for the warranty time period. Any failure of any Gamber-Johnson product that is due to intentional misuse or damage, cosmetic wear, theft, fire or natural disaster is not covered by this warranty.

The remedies for a defect in material or workmanship are limited to repair or replacement of any non-conforming product. Gamber-Johnson will repair or replace, without charge, any Gamber-Johnson product that does not conform to its warranty only if a Reseller or an original end user gives us notice of a defect in material or workmanship within the warranty time period stated below:

Mounting Systems (non-electronic products) — All non-electronic products purchased after Dec. 31st, 2009 are protected by Gamber-Johnson's limited lifetime warranty.

For any warranty related issues of products purchased prior to Dec. 31st 2009, please contact your Gamber-Johnson's authorized reseller. All Zirkona products come with a standard one-year product warranty.

Specific 3rd Party Supplied Products — For all products purchased through Gamber-Johnson that are supplied from a 3rd party company (i.e. iKey, Brother, Lind Electronics, AFS, etc.) are warranted by the specific manufacturer of that product. Please see individual specifications on these products for further warranty information.

Mobile Docking Stations & Electronic Products — Warranty time period (from date of original factory shipment) for printed circuit boards, docking connectors, electronic components may vary. Please see individual specifications on these products for further warranty information.

Any failure of any Gamber-Johnson product that is due to damage or misuse, such as excessive force, improper installation, cosmetic wear, exposure to liquid spills, moisture or application of power in excess of specified rating theft, fire or natural disaster is not covered by this warranty. The warranty is void on electronic products if the warranty label is removed or altered.

GAMBER-JOHNSON WILL NOT BE RESPONSIBLE FOR ANY INCIDENTAL, CONSEQUENTIAL (INCLUDING LOSS OF BUSINESS OR PROFITS) OR PUNITIVE DAMAGES DUE TO FAILURE OF A GAMBER-JOHNSON PRODUCT. INCIDENTAL, CONSEQUENTIAL AND PUNITIVE DAMAGES ARE EXCLUDED FROM THIS LIMITED WARRANTY. THE FOREGOING WARRANTY IS A LIMITED WARRANTY. THERE ARE NO OTHER WARRANTIES, EXPRESS OR IMPLIED, WHICH EXTEND BEYOND THE DESCRIPTION OF THE WARRANTIES ON THE FACE HEREOF INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF FITNESS AND MERCHANTABILITY.



EXTENDED WARRANTY

Stay covered beyond the standard warranty

Gain peace of mind with Gamber-Johnson's Extended Warranty. Gamber-Johnson proudly offers Extended Warranties to add 2 years of standard warranty to your product purchase. For accidental coverage and expedited services, please see our Gamber Guard offerings. Ask your reseller about our volume-based pricing opportunities.

FEATURES

- Gamber-Johnson offers 2-Year Extended Warranties to add an additional 2 years of standard warranty to your product purchase.
- The extended warranties are subject to the same terms and exclusions as the standard warranty for the products.
- The extended warranty must be purchased within 30 days of the product purchase.
- Free return ground shipping in the US.

Gamber-Johnson warrants to the reseller and the original end user of any Gamber-Johnson product that it will be free from defects in materials and workmanship for the warranty time period. Any failure of any Gamber-Johnson product that is due to intentional misuse or damage, cosmetic wear, theft, fire or natural disaster is not covered by this warranty.

The remedies for a defect in material or workmanship are limited to repair or replacement of any non-conforming product. Gamber-Johnson will repair or replace, without charge, any Gamber-Johnson product that does not conform to its warranty only if a Reseller or an original end user gives us notice of a defect in material or workmanship within the warranty time period stated below:

Mounting Systems (non-electronic products) — All non-electronic products purchased after Dec. 31st, 2009 are protected by Gamber-Johnson's limited lifetime warranty. For any warranty related issues of products purchased prior to Dec. 31st 2009, please contact your Gamber-Johnson's authorized reseller. All Zirkona products come with a standard one-year product warranty.

Specific 3rd Party Supplied Products — For all products purchased through Gamber-Johnson that are supplied from a 3rd party company (i.e. iKey, Brother, Lind Electronics, AFS, etc.) are warranted by the specific manufacturer of that product. Please see individual specifications on these products for further warranty information.

Mobile Docking Stations & Electronic Products — Warranty time period (from date of original factory shipment) for printed circuit boards, docking connectors, electronic components may vary. Please see individual specifications on these products for further warranty information.

Any failure of any Gamber-Johnson product that is due to damage or misuse, such as excessive force, improper installation, cosmetic wear, exposure to liquid spills, moisture or application of power in excess of specified rating theft, fire or natural disaster is not covered by this warranty. The warranty is void on electronic products if the warranty label is removed or altered.

GAMBER-JOHNSON WILL NOT BE RESPONSIBLE FOR ANY INCIDENTAL, CONSEQUENTIAL (INCLUDING LOSS OF BUSINESS OR PROFITS) OR PUNITIVE DAMAGES DUE TO FAILURE OF A GAMBER-JOHNSON PRODUCT. INCIDENTAL, CONSEQUENTIAL AND PUNITIVE DAMAGES ARE EXCLUDED FROM THIS LIMITED WARRANTY. THE FOREGOING WARRANTY IS A LIMITED WARRANTY. THERE ARE NO OTHER WARRANTIES, EXPRESS OR IMPLIED, WHICH EXTEND BEYOND THE DESCRIPTION OF THE WARRANTIES ON THE FACE HEREOF INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF FITNESS AND MERCHANTABILITY.



LOGISTICS PRODUCT CATALOG



RUGGED. RELIABLE. RESPONSIVE.™

GAMBERJOHNSON.COM
©2024 Gamber-Johnson LLC 1/2024